



JCR-CD-18
Page 1 of 2

ROCK EXCAVATION

RECOMMENDATION:

The specifications should provide the following unit price payment classifications for rock excavation when it is anticipated rock excavation will be encountered.

Rock Excavation in trenches, drilling and blasting
per cubic yard \$ _____.

Rock Excavation in bulk, drilling and blasting
per cubic yard \$ _____.

Rock Excavation in bulk, tractor and ripper
per cubic yard \$ _____.

Rock Excavation for hydraulic elevator shafts
per linear foot \$ _____.

COMMENTS:

- A. Rock excavation consists of removal and disposal of materials that cannot be excavated without continuous and systematic drilling and blasting or continuous use of a ripper or other special equipment.
- B. Typical of materials classified as rock are boulders 1/2 cubic yard or more in volume, solid rock, rock in ledges, and rock-hard cementitious aggregate deposits.
- C. Intermittent drilling performed to increase production, and not necessary to permit excavation of material encountered, should not be considered rock excavation.
- D. The specifications should stipulate the basis for computing the payment quantities.
- E. Rock for payment purposes shall be defined in the specifications.

This recommendation, while not mandatory, is the diligent work of a committee which is drawn from a cross section of the construction industry represented by architects and general contractors. The committee presents this recommendation with the expectation that it will be adhered to voluntarily.
--



JCR-CD-18
Page 2 of 2

NOTE: In order to be equitable to both Owner and Contractor, the specifications written should establish such controls as deemed necessary to insure that unit prices are fair.

Rev. 02/04

End of JCR-CD-18

This recommendation, while not mandatory, is the diligent work of a committee which is drawn from a cross section of the construction industry represented by architects and general contractors. The committee presents this recommendation with the expectation that it will be adhered to voluntarily.



This recommendation, while not mandatory, is the diligent work of a committee which is drawn from a cross section of the construction industry represented by architects and general contractors. The committee presents this recommendation with the expectation that it will be adhered to voluntarily.